



WHEEL LOADERS





24

8500

EXTRA

Oliver



- 4 **Buckets**

- 6 **Recommended Material Densities**

- 8 **Specialty Products**

GRYB wants to fundamentally transform the attachment and implements industry into a customer driven experience, fueled through the needs and challenges of the global market.

GRYB is at the core of a group of companies offering attachment solutions in the material handling, forestry & land clearing, steel production & distribution, construction, and ag & light industrial industries.



GRYB CONSTRUCTION

GRYB's wheel loader products are part of the GRYB Construction division. Our products represent quality and are built for durability, exceeding industry standards. Engineered with precision, they are part of a true partnership with our customers, delivering reliable solutions that support their day-to-day operations.



BUCKETS

GRYB's Wheel Loader bucket lineup is designed to meet the demands of everyday loading and material handling applications. Built for durability and proper machine balance, each bucket is engineered to match specific materials and working conditions. With a range of capacities and configurations available, GRYB offers practical solutions to help optimize performance and efficiency on the jobsite.



HYDRAULIC QUICK COUPLER

Improve efficiency with the hydraulic GRYB hydraulic quick coupler, built to simplify material handling operations.

Designed for strength and durability, it delivers reliable performance in demanding conditions. Compatible with a wide range of female attachments, it integrates easily with your equipment for maximum flexibility on the job.

BUCKET LOCK

INCLUDED ON ALL HYDRAULIC QUICK COUPLERS

Our bucket lock has a simple design, ensuring hassle-free maintenance. Its design is also optimized to maintain maximum visibility on the attachment. Additionally, our bucket lock allows for easy removal of the bucket from the machine, providing unparalleled convenience during equipment adjustments or replacements.



GENERAL PURPOSE BUCKET

Optimized opening angles.

High tensile steel wear parts.

Interchangeable bolt-on blades.



LIGHT MATERIAL BUCKET

Protective lining for a quick hitch.

Interchangeable bolt-on blade included.



HEAVY DUTY ROCK BUCKET

Protection of the machine with rock kickers.

Several knife configurations available.

- 1 Inner side plates made of abrasion-resistant steel for greater strength and durability.
- 2 HD penetration teeth.
- 3 Bolt-on upper lip protector.
- 4 High-strength steel shell liner.
- 5 Bolted vertical side cutters extend the life time of the bucket.
- 6 Spill Guard to protect the quick coupler.



SIDE DUMP BUCKET

Dump angle up to 120°.

Bolt-on blade with recessed nut included.

Shock absorber cushions.

HD hydraulic cylinder.

Left-hand or right-hand dump.




HIGH DUMP BUCKET

Dumping angle of 120°.

Rubber pads on each sides acting as shock absorbers.

Oversized rod for intensive work.

Bolt-on blade.



SCREENING BUCKET

Choose the sieve opening from 1/4 to 6 inches.

Rotates on both sides, depending on the model.



WOOD CHIP BUCKET

High-strength steel reinforcements under the bucket to reduce wear.



GRAPPLE BUCKET

HD hydraulic cylinder.



SKELETON BUCKET

Choose the distance between tines to fit your needs.



STOCKPILE BUCKET

Ideal for handling light materials and bulk materials.




4-IN-1 BUCKET

Digs, levels, handles and sort.



RECOMMENDED MATERIAL DENSITIES

Selecting the right bucket starts with understanding the material you're handling. Material density has a direct impact on payload, performance, fuel efficiency, and overall machine longevity. The following chart outlines recommended material densities, helping you match the right bucket configuration to your specific application and maximize productivity on every job.



MATERIAL	LBS / YD³	MATERIAL	LBS / YD³	MATERIAL	LBS / YD³
Asphalt, Crushed	1,215	Earth, dense	3,375	Mud, fluid	2,916
Bark, wood refuse	405	Earth, soft loose mud	2,916	Salt, cake	2,430
Barley	1,026	Earth, packed	2,565	Salt, course	1,350
Beans, cocoa	999	Garbage	810	Salt, fine	2,025
Beans, soy	1,215	Gravel, loose, dry	2,565	Salt, wet	3,240
Brewers grains	729	Gravel, w/sand, natural	3,240	Sand, wet, packed	3,510
Buckwheat	1,107	Gravel, dry 1/4 to 2 inch	2,835	Sand, dry	2,700
Clay, dry excavated	1,836	Gravel, wet 1/4 to 2 inch	3,375	Sand, loose	2,430
Clay, wet excavated	3,078	Gypsum, broken	3,050	Sand, water filled	3,240
Clay, compacted	2,943	Gypsum, crushed	2,696	Sand, w/gravel, dry	2,916
Concrete, asphalt	3,780	Ice, solid	1,539	Sand, w/gravel, wet	3,375
Concrete, gravel	4,050	Ice, crushed	999	Sandstone, solid	3,915
Concrete, limestone	3,996	Limestone, solid	4,401	Sandstone, broken	2,538
Earth, loam, dry excavated	2,106	Limestone, broken	2,619	Snow, freshly fallen	270
Earth, moist, excavated	2,430	Limestone, pulverized	2,349	Snow, compacted	810
Earth, wet excavated	2,700	Mud, packed	3,213	Stone, crushed	2,700





SPECIALTY PRODUCTS

Our specialty products are designed to expand the versatility of your equipment beyond standard bucket applications. From fork racks and female lugs to jib booms and coil rams, each solution is built for durability, compatibility, and reliable performance in demanding environments. These attachments provide practical options to support specialized lifting, handling, and material management requirements.



FORK RACK

Compatible with hydraulic and mechanical systems.

Wide range of frame sizes available.

Different fork formats, thickness, width and depth available.

Different side shifting models available.

Optional hydraulic positioning.

Optional heel and back rest available.



FEMALE LUGS

With surplus for all bucket or chassis designs.

Various compatibilities are available.



JIB BOOM

Increases safety on construction sites.

An optimized design offering visibility and safety compared to lifting attachments.



EXTENDABLE JIB BOOM

Increases safety on construction sites.

Optimized design allows visibility and safety compared to lifting with a bucket.

Use the extendable arm to reach hard-to-reach places.


Multiple models available reaching up to 14 feet long.



COIL RAM

Custom length and capacity to fit your exact needs.

Can be installed directly on the machine or integrated with various coupling systems.





INTERESTED IN OUR PRODUCTS?

**SCAN THE QR CODE TO REQUEST YOUR
QUOTE IN JUST A FEW CLICKS.**







1-844-604-1396 - INFO@GRYB.COM

FOLLOW US     

1400, Pierre-Roux boul. East, Victoriaville (Quebec) G6T 2T7



GRYB.COM